# FUNDAMENTAL TECHNOLOGY DEVELOPMENT FOR SPACE SCIENCE

SEU/Origins Subcommittee Meeting

July 2, 2003

Dr. Chris Moore
Office of Aerospace Technology
(202) 358-4650
cmoore2@hq.nasa.gov



### **Outline**




- Code R Technology Programs
- Addressing Code S Needs
- Sensor Technology
  - Direct detectors and focal planes
  - Cryocoolers
  - Terahertz receivers
- Large Aperture Technology
  - Dual Anamorphic Reflector Telescope (DART)
- Distributed Spacecraft Technology
- Code R NASA Research Announcements



## The Aerospace Technology Enterprise Contributes to the NASA Vision and Mission through Technology Development and Transfer


### **NASA's Vision**





## **Aerospace Technology Enterprise** Strategic Themes







## Mission & Science Measurement Technology

Strategic Theme Objectives and Programs



## Theme Objectives

### Mission Risk Analysis

Develop the capability to assess and manage risk in the synthesis of complex systems.


### Science Driven Mission Architectures and Technology


Define new system concepts and demonstrate new technologies which enable new science measurements.

## Create Knowledge from Scientific Data

Develop break-through information and communication systems to increase our understanding of scientific data and phenomena







**Engineering for Complex Systems** 

**Programs** 


Enabling Concepts & Technologies

Computing, Information & Communications Technology



## **Program Implementation Strategy**








## **The Big Picture - Where MSM Fits**



Annual NASA Investment



**Time From Start** 



### **Addressing Enterprise Technology Needs**



- Code R has established a Technology Executive Board (TEB)
  - Membership Enterprise Technology Representatives
  - Establish joint list of Enterprise technology needs and priorities
  - Provide guidance on program content and direction
  - Ensure technology infusion
  - Integrate/coordinate Code R with Enterprise specific initiatives

#### Code S

- Sensors and instruments
- Advanced optical systems
- Robotic systems
- High strength-to-weight materials
- Advanced propulsion
- Formation flying
- Extreme environments

#### **Code M**

- Large space solar power systems
- High power propulsion
- Modular infrastructures
- Assembly, maintenance, & servicing
- Lighter, more flexible EVA with extended duration

#### **Code Y**

- Lasers and lidar
- Large telescopes & antennas
- Frequency agile detectors
- Microwave transmitters & receivers
- High efficiency solar cells
- Miniature guidance & navigation sensors

#### Code U

- Autonomous environmental monitoring & control
- In-space medical diagnostics
- Spectroscopy for space biology research
- Biomolecular sensors to support crew health & safety
- Lighter, more flexible EVA with extended duration
- In-space manufacturing & fabrication



## **Enabling Concepts & Technologies Program**









### **Advanced System Concepts**

Conceptual studies and systems analysis of revolutionary aerospace system concepts that have the potential to leap well past current plans, or to enable new visions for NASA's strategic plans.




### **Energetics**

Development of advanced power and propulsion technologies to enable lower-cost missions with increased capability, and to extend mission reach.




#### **Advanced Measurement and Detection**

Development of miniaturized, highly-integrated, and efficient instruments and sensors to provide increased scientific return.




### **Revolutionary Spacecraft Systems**

Development of revolutionary spacecraft systems and architectures to enable distributed science data collection, explore extreme environments, and lower mission costs.



### **Large Space Systems**

Development of concepts for large, ultra-lightweight space structures and apertures to expand mission capabilities, and enable new visions of the Earth and the Universe.




### **Space NRAs**

Broadly announced peer-reviewed solicitations to capture innovative ideas from external organizations, to leverage high-payoff emerging technologies, and to complement NASA capabilities in critical areas.











## **Advanced Measurement & Detection** Technology Products







High efficiency, tunable laser transmitters for active sensing



High efficiency detectors (IR, visible, UV, X-ray) for focal plane assemblies




Instrument optics



Submillimeter sources, amplifiers, and detectors



Cryocoolers




In situ biological & chemical sensors



### **Transition Paths for Code R Technology**








## Code R Technology Directly Inserted into NASA missions







MEMS Micro-shutter Array for James Webb Space Telescope multi-object spectrometer




Zero vibration 20K helium sorption cooler for Planck



Superconducting Transition Edge Sensor array for Constellation-X



Micromesh bolometer arrays for Herschel and Planck



Superconducting mixers and planar multipliers for Herschel, Planck, and SOFIA



CZT Hard X-ray focal planes for Constellation-X



### Direct Detectors and Focal Planes




Visible
Science Grade CCDs
CMOS Active Pixel Sensors




CMOS APS "camera on a chip"

MW/LW Infrared
Uncooled IR thermopiles
Quantum dot IR photodetectors




2D Thermopile Array

# <u>Ultraviolet</u> GaN Staring Hybrid FPAs Delta-doped SiCCDs




**Delta-doped UVCCD** 

## X-ray Transition Edge Calorimeters CZT Staring Hybrid FPAs



**TES pixels** 

# Far Infrared Micromesh Bolometer Arrays Superconducting TES and Kinetic Inductance



**Superconducting TES bolometer** 




**Kinetic Inductance Detector** 





Improvement in Cryogenic Technology is CRITICAL to allow advancements in high performance focal planes and RF/THz receivers.



- Cooling power consistent with focal plane or mixer
- Vibrationless methods to reduce microphonic noise
- Ability to reject heat appropriately and mesh with other stages of cooling system



## Cryogenic Coolers





**20K Pulse Tubes with Advanced Regenerators** 



20K and 6K Sorption Coolers



4 - 10K Turbo-Brayton




**50mK Adiabatic Demagnetization Refrigerators** 



### Terahertz Technologies




## Superconducting mixers / sources / amplifiers for THz heterodyne receivers THz detector arrays






### **MEMS-Based MicroShutter Array**





Selected for James Webb Space Telescope Multi-Object Spectrometer instrument.



### **Participants**

Principal Investigator - H. Moseley, NASA/GSFC Task Manager - J. Hein, NASA/GSFC Partners - Naval Research Lab, Applied Physics Lab, JPL, U. of MD, Penn State, VA Tech

### **Objectives**


A transmissive field selector Cell Size: 100mm square Operation Temp. 30-35K Reliability: 10<sup>6</sup> cycles

Power: 35mW avg. dissipation




## **Dual Reflector Anamorphic Telescope (DART)**





Two cylindrical reflectors are oriented perpendicular to each other with slightly different focal lengths so that both focus at the same point.




System areal density decreases with increasing aperture size.



## **DART Prototype**



## Membrane reflectors



1.2 m DART prototype achieved diffraction limited performance at 40 μm (Lockheed Martin / JPL)




Image at DART focal plane



### **DART Work in Progress**




### JPL:

- 0.5 m precision testbed with actuators for figure control
- Scale-up of membrane materials (nanolaminate, polymer film)
- Integrated optical/structural model
- Membrane metrology

### **Lockheed Martin:**

- 2m x 4m scaled testbed
- Full aperture optical testing of 1.2 m testbed




Nanolaminate membrane reflector




## **Distributed Spacecraft Technologies**






Precision formation flying dynamics simulations



Equations of motion for spacecraft formations at Lagrange points



Distributed spacecraft testbeds to validate control algorithms




Spacecraft ranging and formation control sensors



### **Technology Assessments**



- The ECT Program uses technology assessments to identify and prioritize high-payoff technologies, to establish system-level performance goals, and to guide program investment decisions.
- Performing a pilot technology assessment study on Large Telescope Systems for Code S. Initial results expected in August.
- Pilot study involves 25 astronomers to define the scientific measurement capabilities for three aperture sizes:
  - 10 m telescope
  - 35 m telescope
  - 100 m telescope



### Large Telescope System Technologies:

- Modular structures
- Robotic assembly
- Lightweight optics
- Active figure control
- Thermal management
- Detectors
- Formation Flying



### **NASA** Research Announcements



- Code R will issue a \$39M NASA Research Announcement (NRA) for Mission and Science Measurement Technology on August 4.
- The NRA will include three main technology areas in response to Enterprise priorities:
  - Advanced Measurement & Detection
    - > focal planes, cryocoolers
  - Large Apertures
    - > lightweight optics, wavefront control, deployable antennas
  - Low Power Electronics
- Draft NRA is posted the web for public comment at: http://research.hq.nasa.gov/
- Bidders Conference will be held at University of Maryland Conference Center on July 15.
- NRA is open to all categories of organizations, including industry, universities, non-profit institutions, NASA Centers, and other government agencies.
- Typical funding awards are \$300K \$500K per year for 3 years.



### Summary



The Code R Mission and Science Measurement Theme develops high-payoff crosscutting technologies to meet the future mission needs of the NASA Enterprises.

The Code R Mission and Science Measurement Theme is working closely with the Enterprises to define program content, to transition technology products, and to assess technology requirements.